

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/084,873	03/01/2002	Quinn K. Tong	1987.EEM	7243	
75	90 03/14/2006		EXAMINER		
Charles W. Almer			ZARNEKE, DAVID A		
Counsel, I.P.					
NATIONAL ST	NATIONAL STARCH AND CHEMICAL COMPANY  ART UNIT P			PAPER NUMBER	
10 Finderne Av	enue		2891		
Bridgewater, N	IJ 08807-0500		DATE MAILED: 03/14/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

	<del>-</del>			N			
		Application No.	Applicant(s)	0			
		10/084,873	TONG ET AL.				
	Office Action Summary	Examiner	Art Unit				
		David A. Zarneke	2891				
Period fe	The MAILING DATE of this communication apport	pears on the cover sheet with the	correspondence address				
A SH WHIC - Exte after - If NC - Failu Any	IORTENED STATUTORY PERIOD FOR REPLICHEVER IS LONGER, FROM THE MAILING Densions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. Depend for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing led patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (136(a)). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS from (6), cause the application to become ABANDON	ON. timely filed om the mailing date of this communication NED (35 U.S.C. § 133).				
Status							
1) 又	Responsive to communication(s) filed on 10 F	ebruary 2006.					
·		s action is non-final.					
3)[	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under b	Ex parte Quayle, 1935 C.D. 11,	453 O.G. 213.				
Disposit	ion of Claims						
4) 又	Claim(s) <u>1,3-22,24-32 and 34-39</u> is/are pendin	ng in the application.					
,—	4a) Of the above claim(s) <u>34-39</u> is/are withdrawn from consideration.						
5)[	☐ Claim(s) is/are allowed.						
6)⊠	☐ Claim(s) <u>1,3-22 and 24-32</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and/o	or election requirement.					
Applicat	ion Papers						
9)□	The specification is objected to by the Examine	er.					
	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correct	tion is required if the drawing(s) is o	bjected to. See 37 CFR 1.121	(d).			
11)[	The oath or declaration is objected to by the Ex	kaminer. Note the attached Offic	e Action or form PTO-152.				
Priority (	under 35 U.S.C. § 119						
	Acknowledgment is made of a claim for foreign All b) Some * c) None of:		a)-(d) or (f).				
	1. Certified copies of the priority documents have been received.						
	2. Certified copies of the priority documents have been received in Application No						
	3. Copies of the certified copies of the priority documents have been received in this National Stage						
* 5	application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
		or the definied dopies not recent					
Attachmen	ıt(s)						
1) Notic	ce of References Cited (PTO-892)	4) Interview Summa	ry (PTO-413)	ļ.			
3) 🔲 Infon	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) er No(s)/Mail Date	Paper No(s)/Mail					

Art Unit: 2891

#### **DETAILED ACTION**

## Response to Arguments

Applicant's arguments filed 2/10/06 have been fully considered but they are not persuasive. It is argued that Kunitomi fails to teach the use of a non-N-substituted imidazole in the adduct.

Please note that Kunitomi teaches the use of a 2-phenyl imidazole, which is a non-N-substituted imidazole taught in the specification of the present app (9, 23+), in place of the 2-methylimidazole.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gilleo et al., US Patent 6,194,788, in view of Kunitomi, JP 58103525.

Gilleo teaches a B-stage-able underfill encapsulant (7, 54+) comprising:

- a) thermal curable resin system comprising an admixture of at least one epoxy, one preferably being biphenyl A (4, 7+);
  - b) a hardener such as acid anhydrides (4, 12+);
  - c) at least one solvent (4, 40+);

Page 2

Art Unit: 2891

d) at least one inorganic filler (4, 23+); and

e) at least one fluxing agent (4, 18+),

wherein the encapsulant solidifies during the B-stage process to produce a smooth, non-tacky surface on a semiconductor wafer (4, 3+) or silicon chip.

Page 3

The B-stage encapsulant of Gilleo inherently produces a smooth, non-tacky surface because Applicant's own specification states that B-stage means that the underfill must be solidified after its placement on a wafer to provide a smooth, non-tacky coating (page 3, last line and page 4, top).

Gilleo fails to teach the use of an imidazole-anhydride adduct as the hardener.

Kunitomi teaches an epoxy resin composition (abstract) comprising an epoxy resin; a phenol containing compound, namely a phenol novolak resin; a 2-methylimidazole/pyromellitic anhydride complex curing agent; and an inorganic filler (page 233, 2<sup>nd</sup> column, 4<sup>th</sup> to last line). Kunitomi teaches the use of a 2-phenyl imidazole, which is a non-N-substituted imidazole taught by the present app (9, 23+), in place of the 2-methylimidazole.

It would have been obvious to one of ordinary skill in the art to use the curing promoting agent of Kunitomi in the invention of Gilleo because Kunitomi teaches that the anhydride-imidazole complex provides long-term storage stability.

Gilleo and Kunitomi fail to teach the temperature range at which the encapsulant solidifies nor the temperature range at which the encapsulant finally cures.

Art Unit: 2891

Barring a showing of unexpected results, it would have been obvious to one ordinary skill in the art at the time of the invention to optimize the solidification and final cure temperatures through routine experimentation (MPEP 2144.05).

Claims 3-22 and 24-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gilleo et al., US Patent 6,194,788, in view of Kunitomi, JP 58103525 as applied to claim 1 above, and further in view of Kobayashi et al., JP 62-081416A.

Kobayashi teaches an epoxy composition for sealing a semiconductor comprising an epoxy resin, a phenol type curing agent and a curing promoting agent.

It would have been obvious to one of ordinary skill in the art to use the composition of Kobayashi in the invention of Gilleo and Kunitomi because Kobayashi is relied upon to teach the conventionality of the components.

The use of conventional materials to perform there known functions in a conventional process is obvious. In re Raner 134 USPQ 343 (CCPA 1962).

Regarding claim 3, Kobayashi teaches an epoxy and a phenol, wherein the epoxy can comprise an aliphatic epoxy (3, 4<sup>th</sup> to last paragraph).

With respect to claim 4, Kobayashi teaches an epoxy novolak resin (3, 4<sup>th</sup> to last paragraph).

As to claims 5 and 6, Gilleo teaches the use of bisphenol A (4, 7+).

Regarding claims 7-11, it would have been obvious to one of ordinary skill in the art to optimize the percentage of epoxy and phenol in the epoxy/phenol admixture, and the percentage of the admixture in the whole encapsulant (MPEP 2144.05(b)).

Art Unit: 2891

With respect to claim 12, Kobayashi teaches the use of a triphenylphosphine and it would have been obvious to one of ordinary skill in the art to optimize the anhydride used (MPEP 2144.05(b)).

As to claim 13, it would have been obvious to one of ordinary skill in the art to optimize the imidazole-anhydride adduct used (MPEP 2144.05(b)).

Regarding claims 14 and 15, it would have been obvious to one of ordinary skill in the art to optimize the percentage of the imidazole-anhydride adduct in the encapsulant (MPEP 2144.05(b)).

With respect to claims 16-18, considering Gilleo teaches the use solvents or solvent blends that are comparable to the components selected (4, 40+), it would have been obvious to one of ordinary skill in the art to optimize the solvent selected (MPEP 2144.05(b)).

As to claim 19, it would have been obvious to one of ordinary skill in the art to optimize the percentage of solvent in the encapsulant (MPEP 2144.05(b)).

Regarding claims 20 and 21, Gilleo teaches the use of silica filler (8, 12).

With respect to claim 22, it would have been obvious to one of ordinary skill in the art to optimize the percentage of filler in the encapsulant (MPEP 2144.05(b)).

Regarding claims 24 and 25, it would have been obvious to one of ordinary skill in the art to optimize the flux used (MPEP 2144.05(b)).

With respect to claims 26 and 27, it would have been obvious to one of ordinary skill in the art to optimize the percentage of flux in the encapsulant (MPEP 2144.05(b)).

Art Unit: 2891

As to claim 28, Gilleo teaches the use of wetting agents, cross-linking agents and polymerization catalysts (4, 18+).

Regarding claims 29 and 30, it would have been obvious to one of ordinary skill in the art to optimize the surfactant and diluent used (MPEP 2144.05(b)).

With respect to claim 31, the B-stage processing of the encapsulant before dicing the wafer into chips is conventionally known in the art.

The use of conventional materials to perform there known functions in a conventional process is obvious. In re Raner 134 USPQ 343 (CCPA 1962).

Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gilleo et al., US Patent 6,194,788, in view of Kunitomi, JP 58103525.

Gilleo teaches a wafer having B-stageable underfill composition deposited on one face of the wafer, the B-stageable composition comprising:

- a) thermal curable resin system comprising an admixture of at least one epoxy, one preferably being biphenyl A (4, 7+);
  - b) a hardener such as acid anhydrides (4, 12+);
  - c) at least one solvent (4, 40+);
  - d) at least one inorganic filler (4, 23+); and
  - e) at least one fluxing agent (4, 18+).

Gilleo fails to teach the use of an imidazole-anhydride adduct.

Kunitomi teaches an epoxy resin composition (abstract) comprising an epoxy resin; a phenol containing compound, namely a phenol novolak resin; a 2-methylimidazole/pyromellitic anhydride complex curing agent; and an inorganic filler

Art Unit: 2891

(page 233, 2<sup>nd</sup> column, 4<sup>th</sup> to last line). Kunitomi teaches the use of a 2-phenyl imidazole, which is a non-N-substituted imidazole taught by the present app (9, 23+), in place of the 2-methylimidazole.

It would have been obvious to one of ordinary skill in the art to use the curing promoting agent of Kunitomi in the invention of Gilleo because Kunitomi teaches that the anhydride-imidazole complex provides long-term storage stability.

Gilleo and Kunitomi fails to teach the temperature range at which the encapsulant solidifies nor the temperature range at which the encapsulant finally cures.

Barring a showing of unexpected results, it would have been obvious to one ordinary skill in the art at the time of the invention to optimize the solidification and final cure temperatures through routine experimentation (MPEP 2144.05).

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A. Zarneke whose telephone number is (571)-272-1937. The examiner can normally be reached on M-Th 7:30 AM-6 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Baumeister can be reached on (571)-272-1722. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2891

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Page 8

David A. Zarneke

Primary Examiner

March 8, 2006